

# Adenovirus Information Sheet

## PREVENTION

### At home and Nursery Schools


- \* Make sure kids and caregivers wash their hands well and often
- \* Keep shared surfaces (such as countertops and toys) clean
- \* Keep kids with infections out of group settings until symptoms are gone
- \* Teach kids to sneeze and cough into shirtsleeves or tissues — not their hands



**FACT:** Symptoms usually start 2 days to 2 weeks after contact with adenovirus.

Adenovirus (add-eh-noe-VY-rus) infections are usually mild, but serious infections can happen. Infants and people with weak immune systems are more likely to have severe problems. Some types of the virus are linked to more severe disease. Adenovirus infections can affect children of any age. But they're more common in babies and young children. Most kids have had at least one adenovirus infection before age 10.

## Is Fogging effective against Adenovirus?




Fogging is effective if proper cleaning procedures are in place.

The Fogging Treatment we offer will inactivate the virus within 1-30minutes.

Sanitizing of hands and surfaces are maintained in all environments.

We suggest, using an all purpose cleaner such as Pureaway Aqua, an antibacterial hand soap & Alcohol based hand sanitizer such as sterispray or bactrojel and Fogging regularly.



[www.smartfoggingsolutions.co.za](http://www.smartfoggingsolutions.co.za)

Sandra Venter

[sandra@smartfoggingsolutions.co.za](mailto:sandra@smartfoggingsolutions.co.za)

061 588 5427

<https://www.ncbi.nlm.nih.gov/pubmed/203115>

<https://kidshealth.org/en/parents/adenovirus.html>